SILVER ONE RECEIVES PERMIT TO DRILL HISTORIC LEACH PADS

AT ITS CANDELARIA PROJECT, NEVADA

Vancouver, BC, October 31, 2017 - Silver One Resources Inc. (TSXV: SVE; OTC Pink: SLVRF;FSE: BRK1 - "Silver One") is pleased to announce that it has received permitting from the Bureau of Land Management ("BLM") to commence drilling of the historic leach pads at its past producing Candelaria silver project in Nevada. Drilling is expected to commence in November 2017.

Greg Crowe, President and CEO of Silver One commented: "With the closing of the previously announced C\$4.3 million financing and the receipt of the BLM permit, Silver One is now in a strong position to advance its flagship Candelaria past producing silver project in Nevada. Drill testing of the old leach pads, which have a previously disclosed historic inferred resource (see table below) of over 48 million ounces of silver averaging 1.29 oz/t silver (40 g/t), will be our first priority. Drill samples will be submitted for analytical and metallurgical studies to assess the potential of reprocessing the old leach pads to recover silver in a near-term leaching operation. Silver One will also be exploring the potential for down-dip high grade silver mineralization north of the two past producing open pits and historic resource area, where drill intercepts as high as 670 g/t (21.4 oz/t) over 13.7 metres were encountered. Additionally, numerous old workings that occur along strike from the open pits will be examined to determine the potential of adding new silver resources at Candelaria." The historical resource estimate was reported by SSR Mining Inc. (formerly, Silver Standard Resources Inc.) in a technical report titled "Candelaria Project Technical Report" dated May 24, 2001 (filed on EDAR on June 20, 2002), prepared by Pincock Allen & Holt. The historical mineral resource estimate used "measured mineral resource", "indicated mineral resource" and "inferred mineral resource", which are categories set out in NI 43-101. Accordingly, Silver One considers these historical estimates reliable as well as relevant as it represents key targets for exploration work by Silver One. The qualified person has not done sufficient work to classify the historical estimate as a current mineral resource. Silver One is not treating this historical estimates as current mineral resources.

Further, the historical resource estimate is set forth in the table below:

Candelaria Project												
Historical Resource Estimate												
Area/Type	Classification	Tons	Factored Ag Grade (opt Ag _{total})	Sol. Au Grade (opt Au _{soluble})	AqEq Grade (opt AgEq _{total})	Ag Ounces (Ag _{total})	Aq Equiv. Ounces (AqEq _{total})					
Mount Diablo	Measured	3,391,000	4.44	0.004	4.67	15,054,000	15,838,000					
	Indicated	10,231,185	2.84	0.003	3.01	29,005,000	30,796,000					

	Subtotal, Measured + Indicated	13,623,000	3.23	0.003	3.42	44,060,000	46,633,000
Mount Diablo		5,191,000	2.12	0.003	2.30	11,015,000	11,939,000
Northern Belle	Inferred	9,162,000	2.26	0.002	2.37	20,661,000	21,714,000
Leach Pads		37,328,000	1.29		1.29	48,153,000	48,153,000
L.G. Stockpiles		4,000,000	0.75		0.75	3,000,000	3,000,000
	Subtotal. Inferred	55,681,000	1.49	0.002	1.52	82,829,000	84,806,000

Notes

- 1) Lode resources tabulated at a 0.5 opt Ag_{soluble} cutoff grades, with only Ag_{total} shown in this table
- 2) Leach pads and low grade stockpile resources tabulated for entire accumulation of material.
- 3) Total silver grades factored from soluble silver grades using regression formulas developed by Snowden.
- 4) Silver equivalent grade includes the contribution from the gold grade (soluble) using an Ag:Au equivalency ratio of 57.8:1.

The data base for the historical resource estimate consists of:

- (1) on the Mount Diablo Deposit consisted of 538 drill holes by previous owners and 10 drill holes by Silver Standard Resources Inc. For drill holes that were twinned, the author used the lower of the two values assigned to the original holes. The mineral resource estimate used a kriging estimation method to establish zones with a cut-off grade of 0.5 opt Ag. Ordinary kriging was used to interpolate grades in the block model. The block models were set up with block dimensions of 25 feet by 25 feet in plan and 10 feet in height. The maximum search range used in the higher-grade zone was 235 feet, in the lower grade zone it was 1,000 feet and in the background zone it was 350 feet. Block models more than 300 feet from the nearest composite only constituted 3 percent of the total number of estimated blocks and were assigned to an inferred category,
- (2) on the Northern Belle Deposit consisted of 226 drill holes by previous owners, of which a portion of these holes were duplicated for the Mount Diablo Deposit database. The mineral resource estimate used a kriging estimation method to establish zones with a cut-off grade of 0.5 opt Ag. The mineral resource estimate used multiple indicator kriging to interpolate grades in the block model. Block models were set up with block dimensions of 50 feet by 50 feet in plan and 20 feet in height. The maximum search range used in the higher-grade zone was 85 feet, in the intermediate-grade zone was 120 feet and the lower-grade zone was 140 feet and in the lower undifferentiated material below the current pit topography was 260 feet. Block models more than 300 feet from the nearest composite only constituted 3 percent of the total number of estimated blocks and were assigned to an inferred category;
- (3) on the Leach Pads consisted of 24,633,000 tons located on Leach Pad 1 and 12,695,000 on Leach Pad 2. The estimate for Leach Pad 1 is based on the fact that silver production indicates 51.5% of total silver was recovered by heap leaching operation, while 81.2% of the soluble silver contact was

recovered. Further, the estimate for Leach Pad 2 is based on the fact that silver production indicates 42.4% of total silver was recovered by heap leaching operation, while 71.3% of the soluble silver content was recovered:

(4) on the Low-Grade Stockpile is based on limited and incomplete data and documentation. Material placed on the on the stock piles ranged from 0.5 to 0.65 opt Ag,

To the knowledge of Silver One, there is no new data available since the calculation of the above historical resource estimate and no additional work has been done to upgrade or verify the historical resource estimate.

Candelaria was historically the highest-grade silver producer in the state of Nevada, averaging over 1,250 g/t silver from high-grade vein mining between the mid 1800s and the mid 1900s. Open pit mining operations were undertaken in the 1970s through 1998 by several companies including Nerco and Kinross. Kinross closed the open pit and leach operation in 1998 due to low silver prices. Leaching of the historic pads was not completed leaving a substantial amount of silver unprocessed. It is estimated that the property has produced over 68 million ounces of silver.

Qualified Person

The technical content of this news release has been reviewed and approved by Greg Crowe, P.Geo, President and CEO of Silver One, and a Qualified Person as defined by National Instrument 43-101.

About Silver One

Silver One is a silver focused exploration company that holds an option to acquire a 100% interest in the past producing Candelaria Silver Project, located in Nevada, from SSR Mining Inc. (formerly, Silver Standard Resources Inc.) and a 100% interest in three significant silver assets located in Mexico: Penasco Quemado in the State of Sonora, La Frazada in the State of Nayarit, and Pluton in the State of Durango. The Mexican mining assets were acquired from First Mining Financing, which became a key shareholder resulting from the transaction.

For more information, please contact: Silver One Resources Inc.
Monica Hamm
VP, Investor Relations

Phone: (604) 974-5274 Email: info@silverone.com

Forward-Looking Statements

Information set forth in this news release contains forward-looking statements that are based on assumptions as of the date of this news release. These statements reflect management's current estimates, beliefs, intentions and expectations. They are not guarantees of future performance. Silver One cautions that all forward looking statements are inherently uncertain and that actual performance may be affected by a number of material factors, many of which are beyond Silver One's control. Such factors include, among other things: risks and uncertainties relating to Silver One's limited operating history, ability to obtain sufficient financing to carry out its exploration and development objectives on the Candelaria Project, obtaining the necessary permits to carry out its activities and the need to comply with environmental and governmental regulations. Accordingly, actual and future events, conditions and results may differ materially from the estimates, beliefs, intentions and expectations expressed or

implied in the forward-looking information. Except as required under applicable securities legislation, Silver One undertakes no obligation to publicly update or revise forward-looking information.

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITYFOR THE ADEQUACY OR ACCURACYOF THIS RELEASE.